

## **EV-10/15 HEPA Electric Industrial HEPA Vacuums**



## Industrial Vacuums for Hazardous Materials

### Electric Industrial **HEPA<sup>Plus</sup>\*** Vacuums

PrestiVac Electric Industrial **HEPA<sup>Plus</sup>\*** Vacuums are specifically designed to safely vacuum toxic, nuisance, hazardous dusts. Absolute **HEPA<sup>Plus</sup>\*** filtration with an efficiency of 99.995% @ 0.2 microns captures all of the hazardous dust and ensures the exhaust air is clean, keeping the operator and the environment safe from exposure and contamination.

#### Features:

- Powerful Motor - High Performance
- All Stainless steel construction makes it a solid unit that is easy to clean and sterilize
- Automatic Filter Shaker

- Complete with suction hose and accessories
- Quiet operation with only xx dB
- Automatic suction shut off system when the collection tank is full of liquids (for Wet & Dry models)
- Stainless steel Drain valve assembly for easy emptying (for Wet & Dry models)
- Quiet operation with only xx dB

**Filtration System:**

- Washable, reusable main filter for dust and solids
- **HEPA<sup>Plus</sup>\*** Filtration with an efficiency of 99.995% @ 0.2 micron. Testing Method: IEST RP-CC034.3. H14. MIL-STD 282 / A.S.T.M. - D2986-91. MPPS method EN 1822.

**Applications:**

- Debris
- Dust
- Machine shops
- Maintenance/House keeping
- Metal Chips

**Specifications:**

| Model                 | EV1-10/15 HEPA     | EV2-10/15 HEPA     | EV1-10/15 HEPA WD  | EV2-10/15 HEPA WD  |
|-----------------------|--------------------|--------------------|--------------------|--------------------|
| Air Watts             | 561                | 652                | 529                | 626                |
| Electricity           | 120v / 12a / 1488w | 120v / 15a / 1790w | 120v / 13a / 1528w | 120v / 18a / 2102w |
| Air Flow (CFM)        | 123                | 202                | 113                | 191                |
| Vacuum Pressure (H2O) | 135                | 99                 | 134                | 92                 |
| Collection Type       | Dry                | Dry                | Wet & Dry          | Wet & Dry          |
| Capacity (gal)        | 10 or 15           | 10 or 15           | 10 or 15           | 10 or 15           |
| dB(A) @ 6 ft          |                    |                    |                    |                    |

**Included Accessories:**

- Suction hose assembly
- Stainless steel double bend wand assembly
- Floor tool
- Crevice tool
- Round brush

**Optional Accessories:**

- Extension wand
- Single bend wand
- Flat tool
- Wall brush
- Dust extraction Arm

**Filtration Options:**

- **ULPA** Filtration with an efficiency of 99.9995% @ 0.12 micron. Testing Method: IEST RP-CC034.3. H15. MIL-STD 282 / A.S.T.M. - D2986-91. MPPS method EN 1822.
- Activated Carbon Filtration System to adsorb and neutralize fumes and vapors

If you have a special application or specific requirement, please feel free to contact us. As manufacturers, we can modify our units to meet your specific needs.

Hepa Vacuums, ELECTRIC